


EXTENSIONS

CATALOG



USE GENUINE BINKS SPRAY GUN EXTENSIONS



www.binks.com

EXTENSION INDEX


| Extension Type | Use | Page |
|------------------------------|---|--------|
| | Conventional Circular Spray Extensions | |
| "C" Extension | Extension for inside of 3" to 24" Pipe (Medium Viscosity Materials) | 3 |
| "SC" Extension | Extension for inside of 3/4" to 12" Pipe (Thin Viscosity Materials) | 4 |
| "HC" Extension | Extension for inside of 3" to 24" Pipe (Heavy Viscosity Materials) | 5 |
| "HCVT" Extension | Extension for inside of 3" to 24" Pipe (Heavy Viscosity Abrasive Materials) | 6 |
| "SCMBX" Extension | Extension for inside of 3/4" to 12" Pipe (Fine Atomization Thin Viscosity Materials) | 7 |
| 52-2410 52-1382 (52-3511) | Flexible Extension for inside areas that a rigid extension cannot reach Extension for inside of 3" to 24" Pipe (Medium Viscosity Materials) (52-3511 for heavy materials) | 8 9 |
| | Conventional Forward Spray Extensions | |
| "EA" Extension | Forward Fan Spray - Extended Reach (uses standard 60 series fluid nozzles and air caps) | 10 |
| "EAX" Extension | Forward Fan Spray - Extended Reach (uses small diameter air cap and fluid nozzles) | 11 |
| "SA" Extension | Forward Spray Round Spray - Extended Reach (fits through 7/16" clearance hole) | 12 |
| | | |
| | Conventional 45 Degree Spray Extensions | |
| "EN" Extension | 45 Degree Fan Spray - Extended Reach (uses standard 60 series fluid nozzles and air caps) | 13 |
| "ENX" Extension | 45 Degree Fan Spray - Extended Reach (uses small diameter air cap and fluid nozzles) | 14 |
| "ERX" Extension | 45 Degree Reverse Fan Spray - Extended Reach (uses small diameter air cap and fluid nozzles) | 15 |
| | Conventional 90 Degree Spray Extensions | |
| "EB" Extension | 90 Degree Fan Sprayd - Extended Reach (uses standard 60 series fluid nozzles and air caps) | 16 |
| "EBX" Extension | 90 Degree Fan Spray - Extended Reach (uses small diameter air cap and fluid nozzles) | 17 |
| | Extensions for HVLP Guns | |
| HVLP | HVLP Extensions For Mach Series guns uses standard 90 series fluid tips and air caps | 18 |
| 54-5600 | HVLP Extensions For Mach Series guns (3 fan patterns for interior surfaces) | 19 |
| | Airless High Pressure Spray Extensions | |
| AIRLESS 1 EXTENSIONS | High pressure extensions for Airless 1 guns or guns with 3/4"-20 Thread. | 20 |
| | High pressure extensions for Airless 75 Guns or guns with a 7/8"-14 Thread | 21 |
| | Specialty Spray Extensions | |
| RUSTPROOFER | Used with conventional guns to spray internal surfaces for rustproofing | 22 |
| CLEANING EXTENSION | Used with conventional guns to spray water or solvents for cleaning parts | 23 |
| EXTENSION ARM | Guns attached to front of arm - used to extend reach | 24 |
| | Part Sheet and Service Information | 25 |
| | | 23 |



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "C"



- * Used to coat the inside diameter of 2" to 24" pipe.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * 360 degree spray pattern
- * Forward angle, forward angle/forward spray, right angle or reverse angle tip (specify when ordering).
- * Fits through a 3/4" clearance hole.
- * Best suited for thin/medium to medium/heavy viscosity materials.
- * Long needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.




Extension Part Number chart for the following Binks Conventional Spray guns

| Model 🗪 | 2001, 2100 | 95 | 95A or 95AR | 21 | Trophy Hand | Trophy Auto |
|----------|------------|---------|-------------|--------|-------------|-------------|
| Length 🛂 | or 2101 | | | | | |
| 6" | 52-404 | 52-3885 | 52-3897 | 52-392 | 152-3885 | 152-3897 |
| 9" | 52-405 | 52-3886 | 52-3898 | 52-393 | 152-3886 | 152-3898 |
| 12" | 52-406 | 52-3887 | 52-3899 | 52-394 | 152-3887 | 152-3899 |
| 15" | 52-407 | 52-3888 | 52-3900 | 52-395 | 152-3888 | 152-3900 |
| 18" | 52-408 | 52-3889 | 52-3901 | 52-396 | 152-3889 | 152-3901 |
| 24" | 52-409 | 52-3890 | 52-3902 | 52-397 | 152-3890 | 152-3902 |
| 30" | 52-410 | 52-3891 | 52-3903 | 52-398 | 152-3891 | 152-3903 |
| 36" | 52-411 | 52-3892 | 52-3904 | 52-399 | 152-3892 | 152-3904 |
| 48" | 52-412 | 52-3893 | 52-3905 | 52-400 | 152-3893 | 152-3905 |
| 60" | 52-413 | 52-3894 | 52-3906 | 52-401 | 152-3894 | 152-3906 |
| 72" | 52-414 | 52-3895 | 52-3907 | 52-402 | 152-3895 | 152-3907 |
| 84" | 52-415 | 52-3896 | 52-3908 | 52-403 | 152-3896 | 152-3908 |



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "SC"



- * Used to coat the inside diameter of 3/4" to 12" pipe.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * 360 degree spray pattern
- * Fits through a 3/8" clearance hole.
- * Best suited for thin to medium viscosity materials.
- * Long needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.

Extension Part Number chart for the following Binks Conventional Spray guns

| Model 🗪 | 2100, 2001 | 95 | 95A or 95AR | 21 |
|----------|------------|---------|-------------|---------|
| Length 👢 | or 2101 | | | |
| 9" | 52-1095 | 52-3849 | 52-4231 | 52-1107 |
| 12" | 52-1096 | 52-3850 | 52-4232 | 52-1108 |
| 15" | 52-1097 | 52-3851 | 52-4233 | 52-1109 |
| 18" | 52-1098 | 52-3852 | 52-4234 | 52-1110 |
| 21" | 52-1099 | 52-3853 | 52-4235 | 52-1111 |
| 27" | 52-1100 | 52-3854 | 52-4236 | 52-1112 |
| 33" | 52-1101 | 52-3855 | 52-4237 | 52-1113 |
| 39" | 52-1102 | 52-3856 | 52-4238 | 52-1114 |
| 51" | 52-1103 | 52-3857 | 52-4239 | 52-1115 |
| 63" | 52-1104 | 52-3858 | 52-4240 | 52-1116 |
| 75" | 52-1105 | 52-3859 | 52-4241 | 52-1117 |
| 87" | 52-1106 | 52-3860 | 52-4242 | 52-1118 |

Longer lengths are available custom order Extensions can be purchased with or without the spray gun

Most extensions can ship in 2 weeks or less


Call for pricing



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "HC"



- * Used to coat the inside diameter of 2" to 24" pipe.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * 360 degree spray pattern
- * Forward angle, forward angle/forward spray, right angle or reverse angle tip (specify when ordering).
- * Fits through a 3/4" clearance hole.
- * Best suited for medium to heavy viscosity materials.
- * Long needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.



Extension Part Number chart for the following Binks Conventional Spray guns

| Model 🕈 | 2100, 2001 | 95 | 95A or 95AR | 21 |
|----------------|------------|---------|-------------|---------|
| Length | or 2101 | | | |
| 6" | 52-3549 | 52-3923 | 52-3937 | 52-3148 |
| 12" | 52-3550 | 52-3924 | 52-3938 | 52-3183 |
| 18" | 52-3551 | 52-3925 | 52-3939 | 52-3184 |
| 24" | 52-3552 | 52-3926 | 52-3940 | 52-3185 |
| 30" | 52-3553 | 52-3927 | 52-3941 | 52-3186 |
| 36" | 52-3554 | 52-3928 | 52-3942 | 52-3187 |
| 42" | 52-3555 | 52-3929 | 52-3943 | 52-3217 |
| 43-1/2" | 52-3556 | 52-3930 | 52-3944 | 52-3188 |
| 48" | 52-3557 | 52-3931 | 52-3945 | 52-3189 |
| 56" | 52-3558 | 52-3932 | 52-3946 | 52-3218 |
| 60" | 52-3559 | 52-3933 | 52-3947 | 52-3219 |
| 72" | 52-3560 | 52-3934 | 52-3948 | 52-3220 |
| 80" | 52-3561 | 52-3935 | 52-3949 | 52-3221 |
| 84" | 52-3562 | 52-3936 | 52-3950 | 52-3222 |



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "HCVT"



- * Used to coat the inside diameter of 3" to 24" pipe.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * 360 degree spray pattern
- * Forward angle or right angle tip (specify when ordering).
- * Fits through a 1-1/8" clearance hole.
- * Best suited heavy viscosity materials.
- * Tungeston carbide nozzle assembly makes it suited for abrasive materials.
- * Long needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.



Forward angle



Right angle

Extension Part Number chart for the following Binks Conventional Spray guns

| Model → Length ↓ | 2100, 2001 | 95 | 95A or 95AR | 21 |
|---------------------|--------------------|---------|-------------|---------|
| 6" | or 2101 52-3535 | 52-3951 | 52-3965 | 52-3147 |
| 12" | 52-3536 | 52-3952 | 52-3966 | 52-3169 |
| 18" | 52-3537 | 52-3953 | 52-3967 | 52-3170 |
| 24" | 52-3538 | 52-3954 | 52-3968 | 52-3171 |
| 30" | 52-3539 | 52-3955 | 52-3969 | 52-3172 |
| 36" | 52-3540 | 52-3956 | 52-3970 | 52-3173 |
| 42" | 52-3541 | 52-3957 | 52-3971 | 52-3223 |
| 43.5" | 52-3542 | 52-3958 | 52-3972 | 52-3174 |
| 48" | 52-3543 | 52-3959 | 52-3973 | 52-3175 |
| 56" | 52-3544 | 52-3960 | 52-3974 | 52-3224 |
| 60" | 52-3545 | 52-3961 | 52-3975 | 52-3225 |
| 72" | 52-3546 | 52-3962 | 52-3976 | 52-3226 |
| 80" | 52-3547 | 52-3963 | 52-3977 | 52-3227 |
| 84" | 52-3548 | 52-3964 | 52-3978 | 52-3228 |

Longer lengths are available custom order


Extensions can be purchased with or without the spray gun

Most extensions can ship in 2 weeks or less

Call for pricing



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "SCMBX"




- * Fine atomization extension for spraying the inside of 3/4" to 12" pipe.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * 360 degree spray pattern
- * Fits through a 3/8" clearance hole.
- * Best suited for thin to medium viscosity materials.
- * Long needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.

Extension Part Number chart for the following Binks Conventional Spray guns

| Model → | 2100,2001 | 95 | 95A or 95AR | 21 |
|----------|------------|------------|-------------|------------|
| Length 🗣 | & 2101 | | | |
| 9" | 52-1095MBX | 52-3849MBX | 52-4231MBX | 52-1107MBX |
| 12" | 52-1096MBX | 52-3850MBX | 52-4232MBX | 52-1108MBX |
| 15" | 52-1097MBX | 52-3851MBX | 52-4233MBX | 52-1109MBX |
| 18" | 52-1098MBX | 52-3852MBX | 52-4234MBX | 52-1110MBX |
| 21" | 52-1099MBX | 52-3853MBX | 52-4235MBX | 52-1111MBX |
| 27" | 52-1100MBX | 52-3854MBX | 52-4236MBX | 52-1112MBX |
| 33" | 52-1101MBX | 52-3855MBX | 52-4237MBX | 52-1113MBX |
| 39" | 52-1102MBX | 52-3856MBX | 52-4238MBX | 52-1114MBX |
| 51" | 52-1103MBX | 52-3857MBX | 52-4239MBX | 52-1115MBX |
| 63" | 52-1104MBX | 52-3858MBX | 52-4240MBX | 52-1116MBX |
| 75" | 52-1105MBX | 52-3859MBX | 52-4241MBX | 52-1117MBX |
| 87" | 52-1106MBX | 52-3860MBX | 52-4242MBX | 52-1118MBX |



BINKS CONVENTIONAL SPRAY GUN EXTENSION 52-2410




- * Typically used to coat the inside diameter of curved pipes or other hard to reach areas
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * 5/16" ID fluid hose 71-508 (or equal) and hose clamps (by customer)
- * Hose length as required by application (by customer)
- * 360 degree spray pattern
- * Fits through an approximately 1" clearance hole.
- * Best suited for thin to medium viscosity materials.
- * Will attach to any of the following Binks Spray guns: 2101, 2100, 2001, 95, 95SL, 95A, 95AR or 21

Extensions can be purchased with or without the spray gun Most extensions can ship in 2 weeks or less Call for pricing



BINKS CONVENTIONAL SPRAY GUN EXTENSION 52-1382





52-363 Tip Right angle

- * Typically used to coat the inside diameter of 4" to 24" pipe.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * 360 degree spray pattern
- * Fits through a 1-3/4"" clearance hole.
- * Best suited for thin to medium viscosity materials.
- * Requires 2 ea 1/4" npt pipes from ball valves to extension body (by customer)
- * Used when spraying I.D. of excessively long pipes
- * Air and material shut off with ball valves
- * For Heavier viscosities order 52-3511 uses "HC" style extension
- * 52-1382 Extension consists of:

52-883 Manifold Body

52-1381 6" "C" Extension

72-81414 Ball Valves

57-13 Nipple

83-4233 Nipple

54-918 Gasket

2 pcs 1/4" Diameter Pipe by Customer

Most extensions can ship in 2 weeks or less Call for pricing



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "EA"



- * Extended reach forward Spray Pattern
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * Uses any of the standard "60" series fluid nozzle and air cap (specify when ordering).
- * Fits through a 1-3/4" clearance diameter.
- * Adjustment knob for fan control.
- * The head of the extension is fixed, it does not swivel for angular spray.
- * Long needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.

Extension Part Number chart for the following Binks Conventional Spray guns

| Model 🗪 | 2100, 2001 | 95 | 95A or 95AR | 21 | Trophy Hand | Trophy Auto |
|-----------------|------------|---------|-------------|--------|-------------|-------------|
| Length ↓ | or 2101 | | | | | |
| 6" | 52-670 | 52-4051 | 52-4063 | 52-706 | 152-4051 | 152-4063 |
| 9" | 52-671 | 52-4052 | 52-4064 | 52-707 | 152-4052 | 152-4064 |
| 12" | 52-672 | 52-4053 | 52-4065 | 52-708 | 152-4053 | 152-4065 |
| 15" | 52-673 | 52-4054 | 52-4066 | 52-709 | 152-4054 | 152-4066 |
| 18" | 52-674 | 52-4055 | 52-4067 | 52-710 | 152-4055 | 152-4067 |
| 24" | 52-675 | 52-4056 | 52-4068 | 52-711 | 152-4056 | 152-4068 |
| 30" | 52-676 | 52-4057 | 52-4069 | 52-712 | 152-4057 | 152-4069 |
| 36" | 52-677 | 52-4058 | 52-4070 | 52-713 | 152-4058 | 152-4070 |
| 48" | 52-678 | 52-4059 | 52-4071 | 52-714 | 152-4059 | 152-4071 |
| 60" | 52-679 | 52-4060 | 52-4072 | 52-715 | 152-4060 | 152-4072 |
| 72" | 52-680 | 52-4061 | 52-4073 | 52-716 | 152-4061 | 152-4073 |
| 84" | 52-681 | 52-4062 | 52-4074 | 52-717 | 152-4062 | 152-4074 |



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "EAX"



- * Extended reach forward Spray Pattern
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * Choice of fluid nozzle and air cap (see below)(specify when ordering)
- * Fits through a 7/8" clearance diameter.
- * The head of the extension is a fixed forward spray, it does not swivel.
- * Needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.
- * Available Fluid Nozzles and Air Caps:

45-1022 J2 Fluid Nozzle .043" orifice

45-1023 J3 Fluid Nozzle .035" orifice

46-1031 AA1 External Mix Fan Spray

46-1042 R-6SS External Mix Round Spray

| Model 🕈 | 2100, 2001 | 95 | 95A or 95AR | 21 |
|-----------------|------------|---------|-------------|--------|
| Length ↓ | or 2101 | | | |
| 6" | 52-249 | 52-4135 | 52-4147 | 52-285 |
| 9" | 52-250 | 52-4136 | 52-4148 | 52-286 |
| 12" | 52-251 | 52-4137 | 52-4149 | 52-287 |
| 15" | 52-252 | 52-4138 | 52-4150 | 52-288 |
| 18" | 52-253 | 52-4139 | 52-4151 | 52-289 |
| 24" | 52-254 | 52-4140 | 52-4152 | 52-290 |
| 30" | 52-255 | 52-4141 | 52-4153 | 52-291 |
| 36" | 52-256 | 52-4142 | 52-4154 | 52-292 |
| 48" | 52-257 | 52-4143 | 52-4155 | 52-293 |
| 60" | 52-258 | 52-4144 | 52-4156 | 52-294 |
| 72" | 52-259 | 52-4145 | 52-4157 | 52-295 |
| 84" | 52-260 | 52-4146 | 52-4158 | 52-296 |



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "SA"




- * Extended reach forward Spray Pattern
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * Forward spray pattern
- * Fits through a 7/16" clearance hole.
- * Best suited for thin to medium viscosity materials.
- * Long needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.

Extension Part Number chart for the following Binks Conventional Spray guns

| Model 🕈 | 2100, 2001 | 95 | 95A or 95AR | 21 |
|----------|------------|---------|-------------|---------|
| Length 🖡 | or 2101 | | | |
| 6" | 52-1009 | 52-4015 | 52-4027 | 52-1021 |
| 9" | 52-1010 | 52-4016 | 52-4028 | 52-1022 |
| 12" | 52-1011 | 52-4017 | 52-4029 | 52-1023 |
| 15" | 52-1012 | 52-4018 | 52-4030 | 52-1024 |
| 18" | 52-1013 | 52-4019 | 52-4031 | 52-1025 |
| 24" | 52-1014 | 52-4020 | 52-4032 | 52-1026 |
| 30" | 52-1015 | 52-4021 | 52-4033 | 52-1027 |
| 36" | 52-1016 | 52-4022 | 52-4034 | 52-1028 |
| 48" | 52-1017 | 52-4023 | 52-4035 | 52-1029 |
| 60" | 52-1018 | 52-4024 | 52-4036 | 52-1030 |
| 72" | 52-1019 | 52-4025 | 52-4037 | 52-1031 |
| 84" | 52-1020 | 52-4026 | 52-4038 | 52-1032 |



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "EN"



- * Extended reach, Spray Pattern on 45 degree angle.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * Uses any of the standard "60" series fluid nozzle and air cap (specify when ordering).
- * Fits through a 2-1/2" clearance diameter.
- * Adjustment knob for fan control.
- * The head of the extension is a fixed 45 degree spray, it does not swivel.
- * Needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.

Extension Part Number chart for the following Binks Conventional Spray guns

| Model 🕈 | 2100,2001 | 95 | 95A or 95AR | 21 | Trophy Hand | Trophy Auto |
|-----------------|-----------|---------|-------------|--------|-------------|-------------|
| Length ↓ | or 2101 | | | | | |
| 6" | 52-694 | 52-4099 | 52-4111 | 52-730 | 152-4099 | 152-4111 |
| 9" | 52-695 | 52-4100 | 52-4112 | 52-731 | 152-4100 | 152-4112 |
| 12" | 52-696 | 52-4101 | 52-4113 | 52-732 | 152-4101 | 152-4113 |
| 15" | 52-697 | 52-4102 | 52-4114 | 52-733 | 152-4102 | 152-4114 |
| 18" | 52-698 | 52-4103 | 52-4115 | 52-734 | 152-4103 | 152-4115 |
| 24" | 52-699 | 52-4104 | 52-4116 | 52-735 | 152-4104 | 152-4116 |
| 30" | 52-700 | 52-4105 | 52-4117 | 52-736 | 152-4105 | 152-4117 |
| 36" | 52-701 | 52-4106 | 52-4118 | 52-737 | 152-4106 | 152-4118 |
| 48" | 52-702 | 52-4107 | 52-4119 | 52-738 | 152-4107 | 152-4119 |
| 60" | 52-703 | 52-4108 | 52-4120 | 52-739 | 152-4108 | 152-4120 |
| 72" | 52-704 | 52-4109 | 52-4121 | 52-740 | 152-4109 | 152-4121 |
| 84" | 52-705 | 52-4110 | 52-4122 | 52-741 | 152-4110 | 152-4122 |



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "ENX"



- * Extended reach, Spray Pattern on 45 degree angle.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * Fits through a 1-3/4" clearance diameter.
- * Adjustment knob for fan control.
- * The head of the extension is a fixed 45 degree spray, it does not swivel.
- * Needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.
- * Available Fluid Nozzles and Air Caps:

45-1022 J2 Fluid Nozzle .043" orifice

45-1023 J3 Fluid Nozzle .035" orifice

46-1031 AA1 External Mix Fan Spray

46-1042 R-6SS External Mix Round Spray

Extension Part Number chart for the following Binks Conventional Spray guns

| | | | | 1 70 |
|-----------------|------------|---------|-------------|--------|
| Model 🕈 | 2100, 2001 | 95 | 95A or 95AR | 21 |
| Length ↓ | or 2101 | | | |
| 6" | 52-261 | 52-4183 | 52-4195 | 52-297 |
| 9" | 52-262 | 52-4184 | 52-4196 | 52-298 |
| 12" | 52-263 | 52-4185 | 52-4197 | 52-299 |
| 15" | 52-264 | 52-4186 | 52-4198 | 52-300 |
| 18" | 52-265 | 52-4187 | 52-4199 | 52-301 |
| 24" | 52-266 | 52-4188 | 52-4200 | 52-302 |
| 30" | 52-267 | 52-4189 | 52-4201 | 52-303 |
| 36" | 52-268 | 52-4190 | 52-4202 | 52-304 |
| 48" | 52-269 | 52-4191 | 52-4203 | 52-305 |
| 60" | 52-270 | 52-4192 | 52-4204 | 52-306 |
| 72" | 52-271 | 52-4193 | 52-4205 | 52-307 |
| 84" | 52-272 | 52-4194 | 52-4206 | 52-308 |



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "ERX"



- * Extended reach, Spray Pattern on 45 degree reverse angle.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * Fits through a 1-3/4" clearance diameter.
- * Adjustment knob for fan control.
- * The head of the extension is a fixed 45 degree reverse spray, it does not swivel.
- * Needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.
- * Available Fluid Nozzles and Air Caps:

45-1022 J2 Fluid Nozzle .043" orifice

45-1023 J3 Fluid Nozzle .035" orifice

46-1031 AA1 External Mix Fan Spray

46-1042 R-6SS External Mix Round Spray

Extension Part Number chart for the following Binks Conventional Spray guns


| Model → Length ↓ | 2100, 2001 or 2101 | 95 | 95A or 95AR | 21 |
|---------------------|-----------------------|---------|-------------|--------|
| 6" | 52-453 | 52-4207 | 52-4219 | 52-465 |
| 9" | 52-454 | 52-4208 | 52-4220 | 52-466 |
| 12" | 52-455 | 52-4209 | 52-4221 | 52-467 |
| 15" | 52-456 | 52-4210 | 52-4222 | 52-468 |
| 18" | 52-457 | 52-4211 | 52-4223 | 52-469 |
| 24" | 52-458 | 52-4212 | 52-4224 | 52-470 |
| 30" | 52-459 | 52-4213 | 52-4225 | 52-471 |
| 36" | 52-460 | 52-4214 | 52-4226 | 52-472 |
| 48" | 52-461 | 52-4215 | 52-4227 | 52-473 |
| 60" | 52-462 | 52-4216 | 52-4228 | 52-474 |
| 72" | 52-463 | 52-4217 | 52-4229 | 52-475 |
| 84" | 52-464 | 52-4218 | 52-4230 | 52-476 |

Longer lengths are available custom order Extensions can be purchased with or without the spray gun Most extensions can ship in 2 weeks or less

Call for pricing



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "EB"



- * Extended reach, Spray Pattern on 90 degree angle.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * Uses any of the standard "60" series fluid nozzle and air cap (specify when ordering).
- * Fits through a 3" clearance diameter.
- * Adjustment knob for fan control.
- * The head of the extension is a fixed 90 degree spray, it does not swivel.
- * Needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.

Extension Part Number chart for the following Binks Conventional Spray guns

| Model 🕈 | 2100, 2001 | 95 | 95A or 95AR | 21 | Trophy Hand Trophy Auto | |
|----------|------------|---------|-------------|--------|-------------------------|----------|
| Length 🗣 | or 2101 | | | | | |
| 6" | 52-682 | 52-4075 | 52-4087 | 52-718 | 152-4075 | 152-4087 |
| 9" | 52-683 | 52-4076 | 52-4088 | 52-719 | 152-4076 | 152-4088 |
| 12" | 52-684 | 52-4077 | 52-4089 | 52-720 | 152-4077 | 152-4089 |
| 15" | 52-685 | 52-4078 | 52-4090 | 52-721 | 152-4078 | 152-4090 |
| 18" | 52-686 | 52-4079 | 52-4091 | 52-722 | 152-4079 | 152-4091 |
| 24" | 52-687 | 52-4080 | 52-4092 | 52-723 | 152-4080 | 152-4092 |
| 30" | 52-688 | 52-4081 | 52-4093 | 52-724 | 152-4081 | 152-4093 |
| 36" | 52-689 | 52-4082 | 52-4094 | 52-725 | 152-4082 | 152-4094 |
| 48" | 52-690 | 52-4083 | 52-4095 | 52-726 | 152-4083 | 152-4095 |
| 60" | 52-691 | 52-4084 | 52-4096 | 52-727 | 152-4084 | 152-4096 |
| 72" | 52-692 | 52-4085 | 52-4097 | 52-728 | 152-4085 | 152-4097 |
| 84" | 52-693 | 52-4086 | 52-4098 | 52-729 | 152-4086 | 152-4098 |



BINKS CONVENTIONAL SPRAY GUN EXTENSION STYLE "EBX"



- * Extended reach, Spray Pattern on 90 degree angle.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * Choice of fluid nozzle and air cap (see below)(specify when ordering)
- * Fits through a 1-7/8" clearance diameter.
- * The head of the extension is a fixed 90 degree spray, it does not swivel.
- * Needle shuts material off at the tip.
- * Useable length of extension is approximately 1-1/2" shorter that extension length.
- * Available Fluid Nozzles and Air Caps:

45-1022 J2 Fluid Nozzle .043" orifice

45-1023 J3 Fluid Nozzle .035" orifice

46-1031 AA1 External Mix Fan Spray

46-1042 R-6SS External Mix Round Spray

Extension Part Number chart for the following Binks Conventional Spray guns

| Model 🗪 | 2100, 2001 | 95 | 95A or 95AR | 21 |
|----------|------------|---------|-------------|-------|
| Length 🎩 | or 2101 | | | |
| 6" | 52-273 | 52-4159 | 52-4171 | 5-309 |
| 9" | 52-274 | 52-4160 | 52-4172 | 5-310 |
| 12" | 52-275 | 52-4161 | 52-4173 | 5-311 |
| 15" | 52-276 | 52-4162 | 52-4174 | 5-312 |
| 18" | 52-277 | 52-4163 | 52-4175 | 5-313 |
| 24" | 52-278 | 52-4164 | 52-4176 | 5-314 |
| 30" | 52-279 | 52-4165 | 52-4177 | 5-315 |
| 36" | 52-280 | 52-4166 | 52-4178 | 5-316 |
| 48" | 52-281 | 52-4167 | 52-4179 | 5-317 |
| 60" | 52-282 | 52-4168 | 52-4180 | 5-318 |
| 72" | 52-283 | 52-4169 | 52-4181 | 5-319 |
| 84" | 52-284 | 52-4170 | 52-4182 | 5-320 |



BINKS MACH SERIES HVLP SPRAY GUN EXTENSIONS




- * Used to spray high, low or hard to reach surfaces.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * Uses any of the standard "90" series HVLP fluid nozzles and air caps.
- * Fluid nozzle and air cap are not furnished with this extension.
- * Fits through a 1-3/4" clearance diameter.
- * The head of the extension is fixed, it does not swivel for angular spray.
- * Long needle shuts material off at the tip.
- * Fits the Mach 1, Mach 1SL, Mach 1A, Mach 1AR and MAG HVLP Spray guns.
- * Angle Heads available for angular spray (order separately).

| Length | Part Number | Length | Part Number |
|--------|-------------|--------|-------------|
| 6" | 52-3706 | 24" | 52-3724 |
| 12" | 52-3712 | 36" | 52-3736 |
| 18" | 52-3718 | 42" | 52-3742 |

Longer lengths are available custom order Most extensions can ship in 2 weeks or less Call for pricing



54-5600 EXTENSION FOR MACH1 AND MACH 1SL SPRAY GUNS



- * Used to spray hard to reach surfaces.
- * Needs to be pressure fed from a pressure tank, pump or pressure cup.
- * Compatible with any of the standard "90" series HVLP fluid nozzles.
- * Extension comes complete with the three nozzle tips shown above.
- * Fits through a 3/8" clearance hole.
- * Slot in each tip is 1/32" wide
- * Waterborne compatible. (Annodized Aluminum tube, Stainless steel tips)
- * Material is shut off at front of gun, no long needle.
- * Standard 54-5600 extension is 8-1/2" useable length

Longer lengths are available custom order Most extensions can ship in 2 weeks or less Call for pricing

EXTENSIONS FOR AIRLESS 1 SPRAY GUN



- * Used to extend your reach.
- * Fluid is shut of at the front of the gun.
- * Extensions do not include gun

| LENGTH | PART NUMBER |
|--------|-------------|
| 6" | 52-2901 |
| 9" | 52-2902 |
| 12" | 52-2903 |
| 15" | 52-2904 |
| 18" | 52-2905 |
| 24" | 52-2906 |
| 30" | 52-2907 |
| 36" | 52-2908 |
| 48" | 52-2909 |

Longer lengths are available custom order Most extensions can ship in 2 weeks or less Call for pricing



Airless 75 Gun Extensions



- * Used to extend your reach.
- * Fluid is shut off at the front of the gun.
- * Fits Airless 75 Spray Guns
- * Use 49-1834 adapter to use on Airless 1 Spray guns
- * Use 52-5207 Airless Swivel Head for angular spray
- * Extension does not include airless tip or tip guard

| 52-5208 | 36" | 7500 PSI | Airless Tip Extension |
|---------|-----|----------|-----------------------|
| 52-5209 | 60" | 7500 PSI | Airless Tip Extension |

Most extensions can ship in 2 weeks or less



52-5207 Airless Swivel Head



BINKS CONVENTIONAL RUSTPROOFING EXTENSIONS



52-3407 Rigid 26" Extension with 180 degree spray pattern 52-3406 Rigid 60" Extension with 180 degree spray pattern



52-3408 Flexible Extension with 360 degree spray pattern



52-3411 Superflex Extension with Flat Spray pattern



52-3405 Rigid Extension with Flat Spray pattern



- * For Spraying Rustproofing Materials in difficult areas
- * Use with 2101, 2100, 95, 95SL or 2001 Spray Gun (Purchase Separately)
- * Needs to be pressure fed from a pressure tank or pump
- * 52-2948 Adapter, 52-138 Retaining Ring and 72-2064 QC Connector required to connect to Spray Gun
- * For thin rustproofing materials only
- * 67SS Fluid Nozzle Required in Spray Gun
- * Most extensions can ship in 2 weeks or less
- * Call for pricing


RUST PROOFING EXTENSIONS

54-3405 RIGID EXTENSION
54-3406 RIGID EXTENSION
54-3407 RIGID EXTENSION
54-3408 FLEXIBLE EXTENSION
52-3411 SUPERFLEX EXTENSION
52-138 RETAINING RING
52-2948 ADAPTER
52-RUST Rust Proofing Package less gun

_ _ _ _



54-928 CLEANING NOZZLE ATTACHMENT



- * Works as Pressure Feed or Siphon Feed
- * Remove standard air cap on gun and attach Cleaning Attachment
- * 10" Long, 1/4" diameter
- * Works on 2101, 2100, 95, 95SL and 2001 Spray guns
- * Material shut off is at front of gun
- * Forward Spray only
- * Designed to spray solvent or water for cleaning parts



BINKS SPRAY GUN EXTENSION ARM



- * Allows Painter to Spray Hard to reach Places
- * Extension Arm fits Spray Gun Models
- * Must be Pressure Fed from Pressure Tank or Pump
- * Available in 4', 6' and 8' lengths
- * 73-131 Adapter required for some Spray Guns (order separately). See Chart Below

| Length | Extension Number | | |
|--------|-------------------------|--|--|
| 4' | 54-296 | | |
| 6' | 54-297 | | |
| 8' | 54-298 | | |

Spray Gun compatibility chart

DeVilbiss Compact Series

| Binks 2101 Spray gun | 73-131 adapter not required |
|-------------------------------|------------------------------|
| Binks 2100 Spray Gun | 73-131 adapter not required |
| Binks Model 7 Spray Gun | 73-131 adapter not required |
| Binks 2001 Spray Gun | 73-131 adapter not required |
| Binks Mach 1 HVLP Spray Gun | Requires 1 ea 73-131 adapter |
| Binks Mach 1SL HVLP Spray Gun | Requires 1 ea 73-131 adapter |
| Binks 95 Spray Gun | Requires 1 ea 73-131 adapter |
| Binks 95SL Spray Gun | Requires 1 ea 73-131 adapter |
| Binks SV100 Spray Gun | Requires 1 ea 73-131 adapter |
| DeVilbiss MBC Spray Gun | |
| DeVilbiss JGA Spray Gun | 73-131 adapter not required |
| DeVilbiss JGHV HVLP Spray Gun | Requires 1 ea 73-131 adapter |
| DeVilbiss EXL Spray Gun | Requires 1 ea 73-131 adapter |
| DeVilbiss FLG-III Spray Gun | Requires 1 ea 73-131 adapter |
| DeVilbiss Compact Series | Requires 1 ea 73-131 adapter |

Requires 2 ea 73-131 adapter



Part Sheet and Service Bulletin reference:

| Extension Style | 2101, 2100 & 2001 Spray gun | 95 Spray Gun | 95A and 95AR Spray Gun | 21 Spray Gun |
|-----------------|--------------------------------|---------------------|------------------------|--------------|
| "C" | 77-1367 | 77-2659 | 77-2660 | 77-1367 |
| "SC" | 77-1328 | 77-2659 | 77-2660 | 77-1328 |
| "HC" | 77-2082 | 77-2659 | 77-2660 | 77-2082 |
| "HCVT" | 77-2083 | 77-2659 | 77-2660 | 77-2083 |
| "SCMBX" | 77-5586 | 77-5586 | 77-5586 | 77-5586 |
| "EA" | 77-1368 | 77-2659 | 77-2660 | 77-1368 |
| "EAX" | 77-1369 | 77-2659 | 77-2660 | 77-1369 |
| "SA" | 77-1328 | 77-2659 | 77-2660 | 77-1328 |
| "EN: | 77-1372 | 77-2659 | 77-2660 | 77-1372 |
| "ENX" | 77-1373 | 77-2659 | 77-2660 | 77-1373 |
| "ERX" | 77-1374 | 77-2659 | 77-2660 | 77-1374 |
| "EB" | 77-1370 | 77-2659 | 77-2660 | 77-1370 |
| "EBX" | 77-1371 | 77-2659 | 77-2660 | 77-1371 |
| 52-2410 | A52-3R-14 | A52-3R-14 | A52-3R-14 | A52-3R-14 |
| 52-1382 | No Gun Circular 360 | A52-3R-14 & 77-1367 | | |
| | Mach Series HVLP Extensions | 77-2557 | | |
| 54-5600 | Mach series (Interior surface) | 77-2834 | | |
| 52-296 | Extension Arm | 77-1120 | | |
| | Rust Proofer Extensions | None | | |
| 54-928 | Cleaning Extension | None | | |
| | Airless 1 Gun Extensions | None | | |
| | Airless 75 Extensions | None | | |
| | | | | |

Sales and Service through our Global Network of Industrial Distributors

Binks International Offices

Americas: USA • Mexico • Brazil
Europe/Asia/Africa: United Kingdom • France • Germany
Pacific Rim: China • Japan • Australia



www.binks.com 1.800.99.BINKS

www.finishingbrands.com









